

Technical Report Change Index

| Page | Original Location ¹ | Revision | Source of Revision |
|------------------|--------------------------------|--|---|
| Technical Report | | | |
| 3-15 | ¶ 1, Line 7 | Changed "would" to "will" | Correction based on Draft License Condition 9.2 |
| 3-20 | ¶ 3, Line 9 | Changed "would" to "will" | Correction based on Draft License Condition 9.2 |
| 3-24 | ¶ 2, Line 5 | Changed "will be constructed around the perimeter" to "will be constructed hydraulically upgradient" | Final Design Modification |
| 3-24 | ¶ 2, Line 7 | Changed "surrounding" to "upgradient of" | Final Design Modification |
| 3-24 | ¶ 3, Lines 2 & 3 | Deleted end of sentence referencing the CBW as a "continous contaminant barrier" | Final Design Modification |
| 3-25 | ¶ 2 | Delete paragraph to remove discussion related to construction of the CBW using a "one-pass" trenching system | Final Design Modification |
| 3-44 | Figure 3.1-16 | Revised CBW location and added upgradient french drain location | Final Design Modification |
| 3-46 | Figure 3.1-18, Sheet 1 | Revised CBW location and added upgradient french drain location | Final Design Modification |
| 4-12 | Sec. 4.2.2, ¶ 4, Line 6 | Changed "around the perimeter" to "hydraulically upgradient" | Final Design Modification |
| 4-13 | ¶ 1, Lines 1 & 2 | Changed "within the CBW boundary" to "in the CPP area" | Final Design Modification |
| 4-15 | ¶ 3, Line 9 | Deleted "within the CBW" | Final Design Modification |
| 4-23 | ¶ 2, Line 3 | Changed "would" to "will" | Correction based on Draft License Condition 9.2 |
| 4-32 | Figure 4.2-1, Sheet 1 | Removed CBW from figure | Final Design Modification |
| 5-43 | ¶ 2, Line 8 | Changed "would" to "will" | Correction based on Draft License Condition 9.2 |
| 5-69 | Sec. 5.7.6.2.1, ¶ 1, Line 10 | Changed "would" to "will" (1st occurrence) | Correction based on Draft License Condition 9.2 |
| 5-85 | ¶ 2, Line 3 | Changed "CBW will be constructed around the perimeter" to "CBW will be constructed hydraulically upgradient" | Final Design Modification |
| 5-85 | ¶ 2, Line 4 | Changed "both inside and outside the CBW" to "on both sides of the CBW" | Final Design Modification |

¹ Denotes paragraph on TR page considering partial paragraphs or paragraphs within subsections as noted.

Technical Report Change Index

| Page | Original Location ¹ | Revision | Source of Revision |
|-------|---------------------------------|--|---|
| 5-85 | ¶ 2, Line 5 | Changed "dewater the area within the CBW" to "dewater the CPP area" | Final Design Modification |
| 5-85 | ¶ 2, Line 7 | Deleted "within the CBW" | Final Design Modification |
| 5-85 | ¶ 3, Line 3 | Deleted "within and" after the phrase "water level differentials" | Final Design Modification |
| 5-88 | ¶ 1 (full), Line 7 | Changed "would" to "will" | Correction based on Draft License Condition 9.2 |
| 5-88 | ¶ 2 (full), Line 2 | Changed "would" to "will" | Correction based on Draft License Condition 9.2 |
| 5-90 | ¶ 3, Line 5 | Changed "would" to "will" | Correction based on Draft License Condition 9.2 |
| 5-91 | ¶ 4, Line 2 | Changed "would" to "will" (both occurrences) | Correction based on Draft License Condition 9.2 |
| 5-91 | ¶ 5, Line 5 | Changed "would" to "will" | Correction based on Draft License Condition 9.2 |
| 5-92 | ¶ 1, Line 1 | Changed "would" to "will" | Correction based on Draft License Condition 9.2 |
| 5-101 | Figure 5.7-4 | Revised CBW location and added upgradient french drain location | Final Design Modification |
| 5-110 | Figure 5.7-13 | Revised CBW location and added upgradient french drain location | Final Design Modification |
| 6-15 | Sec. 6.1.5.1, ¶ 2, Line 3 | Changed "would" to "will" | Correction based on Draft License Condition 9.2 |
| 6-24 | ¶ 1, Line 1 | Changed "would" to "will" | Correction based on Draft License Condition 9.2 |
| 6-43 | Sec. 6.2.6, ¶ 1, Line 2 | Changed "surrounding" to "at" | Final Design Modification |
| 6-43 | Sec. 6.2.6, ¶ 1, Lines 6 & 7 | Deleted "up-gradient and down-gradient reaches of the" | Final Design Modification |
| 6-43 | Sec. 6.2.6, ¶ 1, Lines 7 & 8 | Deleted the following sentence "A "one-pass" trencher, very similar to that used to construct the CBW, will be utilized to install the finger drains." | Final Design Modification |
| 6-43 | Sec. 6.2.6, ¶ 1, Line 11 | Deleted "During the "one-pass" operation" | Final Design Modification |
| 7-94 | ¶ 1, Line 4 | Changed "would" to "will" | Correction based on Draft License Condition 9.2 |
| 7-94 | ¶ 1, Line 5 | Added "or standard resin" after "500 cubic foot" | Clarification |
| 7-94 | ¶ 2, Lines 10, 11, and 12 | Changed "would" to "will" (3 occurrences) | Correction based on Draft License Condition 9.2 |
| G-1 | 8th Glossary Definition, Line 2 | Deleted "contaminant" | Final Design Modification |

¹ Denotes paragraph on TR page considering partial paragraphs or paragraphs within subsections as noted.

Technical Report Change Index

| Page | Original Location ¹ | Revision | Source of Revision |
|---------------------------------|--------------------------------------|--|---------------------------|
| G-1 | 8th Glossary Definition, Lines 2 & 3 | Deleted "around the central plant area" | Final Design Modification |
| Technical Report Addendum 3.1-A | | | |
| 13 | Sec. 6.1, ¶ 1, Line 2 | Changed "around a portion," to "upgradient" | Final Design Modification |
| 13 | Sec. 6.1, ¶ 1, Lines 7 & 8 | Deleted last sentence in paragraph referencing the CBW construction method | Final Design Modification |
| 13 | Sec. 6.1, ¶ 3, Line 1 | Changed "encloses the CPP area on three sides" to "runs along the south edge of the CPP area" | Final Design Modification |
| 13 | Sec. 6.1, ¶ 3, Line 2 | Changed "along" to "around" | Final Design Modification |
| 13 | Sec. 6.1, ¶ 3, Lines 2 & 3 | Deleted "west side of the" | Final Design Modification |
| 13 | Sec. 6.1, ¶ 3, Line 3 | Deleted the word "is" after the word "bedrock" and added "along the east and west sides of the site are" after the word "bedrock" | Final Design Modification |
| 14 | ¶ 1, Lines 1 & 2 | Deleted last sentence in paragraph referencing groundwater flow to the west side of the site | Final Design Modification |
| 14 | ¶ 1 | Added a description of the function and siting criteria for the CBW | Final Design Modification |
| 14 | Sec 6.2, ¶ 1, Line 1 | Changed "Three" to "Four" in reference to the number of French drains proposed at the site | Final Design Modification |
| 14 | Sec 6.2, ¶ 1, Line 2 | Added a description of the locations of the French drains | Final Design Modification |
| 16 | Figure 6.1 | Revised CBW location and added upgradient french drain location | Final Design Modification |
| Technical Report Addendum 6.1-A | | | |
| 15 | Sec. 3.3, ¶ 1, Line 1 | Changed "surrounding" to "at" | Final Design Modification |
| 15 | Sec. 3.3, ¶ 1, Lines 4 & 5 | Deleted "up-gradient and down-gradient reaches of the" | Final Design Modification |
| 15 | Sec. 3.3, ¶ 1, Lines 5 & 6 | Deleted the following sentence "A "one-pass" trencher, very similar to that used to construct the CBW, will be utilized to install the finger drains." | Final Design Modification |
| 15 | Sec. 3.3 ¶ 1, Line 9 | Deleted "During the "one-pass" operation" | Final Design Modification |

¹ Denotes paragraph on TR page considering partial paragraphs or paragraphs within subsections as noted.